





## D-TOUCH FLAG

DOSTUPNE VE VELIKOSTECH OD 32" AŽ DO 85"

# D-TOUCH FLAG 55"

DOSTUPNE TAKÉ VE VELIKOSTECH OD 32" AŽ DO 85"



# D-TOUCH FLAG 55"

DOSTUPNE TAKÉ VE VELIKOSTECH OD 32" AŽ DO 85"

## LCD PANEL

Panel Type	LED
Panel Manufacturer	AUO
Diagonal Size	55 inches (from 32" to 85 inches)
Active Display Area (55")	1209.6 mm x 680.4 mm
Resolution (55")	1080 x 1920
Pixel Pitch (55", HxV)	0.21 mm x 0.63 mm
Aspect Ratio	16:9
Display Colours	8 BIT - 16.7M
Luminance	700 cd/m <sup>2</sup> (from 450 to 2500 cd/m <sup>2</sup> )
Contrast Ratio	4000:1
Response Time (G/G)	6.5ms
Viewing Angle (H/V)	178/178
Life Time	50,000 (h) average

## DOTYKOVÁ VRSTVA

Input Method	Pen, finger or gloved hand activation
Touch Activation Force	No minimum touch activation force
Position Accuracy	Typical centroid accuracy 2mm
Resolution	8.384 x 4.736
Response time	10ms
Glass	Transmission: 90% Up to 100% / Thickness: 5mm with anti-vandal
Optics Number	213(h) x 120(v)
Optics cell pitch	5.7mm
Available Object Sizes for Touch	Touch: Ø10mm / Stylus: Ø11mm
Touch Durability	Over 600,000 single point touch
Operating Voltage	DC 5V
Temperature	Operating -10°C to 60°C / Storage -40°C to 85°C
Humidity	Operating 0% to 85% / Storage 0~95%
Relative Humidity	Operating 40°C at 90% RH, Noncondensing
Interface	USB 2.0 Full Speed (12Mbps)
Detection Method	Infrared rays

# D-TOUCH FLAG 55"

DOSTUPNE TAKÉ VE VELIKOSTECH OD 32" AŽ DO 85"

## PC

Main Board	ASUS H81T
CPU	Intel i5-4460
RAM	DDR-3 / 4GB
Graphic Card	integrated
Storage	SATA 1TB / SSD 128GB

## PŘIPOJITELNOST & NAPÁJENÍ

Signal input	D-Sub, DVI
Internet connectivity	ETHERNET RJ45 / WiFi optional
USB	6 USB ports
Power supply	AC100~240V

## DALŠÍ MOŽNOSTI KONFIGURACE

Dotykový rámeček / Pasivní obrazovka (nedotykový)	Ano / Ano
Singleside / Doubleside provedení	Ano / Ano (pouze 55")
Indoor / Outdoor využití	Ano / Ne
Pevná montáž do podlahy / na kolečkách	Ano / Ano
Vaše logo na přístroji: nálepka / pískování předního panelu	Ano / Ano
Servisní dvířka na klíč k PC / k monitoru	Ano / Ano
Barva přístroje	Libovolná (dle RAL / PANTONE / CMYK)