





D-TOUCH WALLMOUNT

DOSTUPNE VE VELIKOSTECH OD 32" AŽ DO 85"

D-TOUCH WALLMOUNT 55"

DOSTUPNE TAKÉ VE VELIKOSTECH OD 32" AŽ DO 85"



D-TOUCH WALLMOUNT 55"

DOSTUPNE TAKÉ VE VELIKOSTECH OD 32" AŽ DO 85"

LCD PANEL

Panel Type	TFT LCD Public DID Panel
Panel Manufacturer	Samsung Electronics / LG / AUO
Diagonal Size	55 inches (from 32" to 85 inches)
Active Display Area (55")	1209.6 mm x 680.4 mm
Resolution (55")	1920 x 1080
Pixel Pitch (55", HxV)	0.63 mm x 0.63 mm
Aspect Ratio	16:9
Display Colours	8 BIT - 16.7M
Luminance	700 cd/m ² (from 450 to 2500 cd/m ²)
Contrast Ratio	4000:1
Response Time (G/G)	8ms
Viewing Angle (H/V)	178/178
Life Time	50,000 (h) average

DOTYKOVÁ VRSTVA

Input Method	Pen, finger or gloved hand activation
Touch Activation Force	No minimum touch activation force
Position Accuracy	Typical centroid accuracy 2mm
Resolution	8.384 x 4.736
Response time	10ms
Glass	Transmission: 90% Up to 100% / Thickness: 5mm with anti-vandal
Optics Number	179(h) x 100(v)
Optics cell pitch	5.35mm
Available Object Sizes for Touch	Touch: Ø7mm / Stylus: Ø8mm
Touch Durability	Over 600,000 single point touch
Operating Voltage	DC 4.6V ~ DC 5.25V
Temperature	Operating -10°C to 65°C / Storage -40°C to 85°C
Humidity	Operating 0% to 85% / Storage 0~95%
Relative Humidity	Operating 40°C at 90% RH, Noncondensing
Interface	USB 2.0 Full Speed (12Mbps)
Detection Method	Infrared rays

D-TOUCH WALLMOUNT 55"

DOSTUPNE TAKÉ VE VELIKOSTECH OD 32" AŽ DO 85"

PC

Main Board	ASUS P5G41T-M LX
CPU	Intel Core i3-620
RAM	Samsung DDR3 2G x 2
Graphic Card	GeForce GT630
Storage	HDD 1TB / SSD 120GB / USB Memory

PŘIPOJITELNOST & NAPÁJENÍ

Signal input	D-Sub, DVI
Internet connectivity	ETHERNET RJ45 / WiFi optional
USB	6 USB ports
Power supply	AC100~240V

DALŠÍ MOŽNOSTI KONFIGURACE

Dotykový rámeček / Pasivní obrazovka (nedotykový)	Ano / Ano
Singleside / Doubleside provedení	Ano / Ne
Indoor / Outdoor využití	Ano / Ne
Montáž na stěnu / do nábytku	Ano / Ano
Vaše logo na přístroji: nálepka / pískování předního panelu	Ne / Ne
Servisní dvířka na klíč	Ano
Barva přístroje	Libovolná (dle RAL / PANTONE / CMYK)